



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

AUSTRALIA—*Sydney*.—Month of July, 1900. Estimated population, 438,300. Total number of deaths, 451, including diphtheria, 3; enteric fever, 5; plague, 6, and 45 from phthisis pulmonalis.

BAHAMAS—*Dunmore Town*.—Two weeks ended September 7, 1900. Estimated population, 1,472. No deaths and no contagious diseases.

***Governors Harbor*.**—Week ended September 15, 1900. Estimated population, 1,500. One death reported. No contagious diseases.

***Nassau*.**—Two weeks ended September 18, 1900. Estimated population, 12,000. Total number of deaths not reported. No contagious diseases reported.

FRANCE—*Marseilles*.—Month of August, 1900. Estimated population, 447,344. Total number of deaths, 987, including diphtheria, 19; enteric fever, 3; measles, 37; scarlet fever, 10; whooping cough, 42, and 7 from smallpox.

***Nice*.**—Month of August, 1900. Estimated population, 108,227. Total number of deaths, 137, including enteric fever, 2; whooping cough, 1, and 26 from tuberculosis.

***St. Etienne*.**—Two weeks ended August 15, 1900. Estimated population, 145,000. Total number of deaths not reported. One death from diphtheria and 7 deaths from enteric fever reported.

GERMANY—*Hanover*.—Month of July, 1900. Estimated population, 251,617. Total number of deaths, 260, including diphtheria, 2; enteric fever, 2; scarlet fever, 3, and 30 from phthisis pulmonalis.

***Magdeburg*.**—Month of July, 1900. Estimated population, 231,308. Total number of deaths, 512, including diphtheria, 4; enteric fever, 2; measles, 2; scarlet fever, 7; whooping cough, 6, and 32 from phthisis pulmonalis.

***Weimar*.**—Month of August, 1900. Estimated population, 29,633. Total number of deaths, 31. No contagious diseases reported.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended September 8, 1900, correspond to an annual rate of 19.6 a thousand of the aggregate population, which is estimated at 11,610,296. The highest rate was recorded in Hull, viz, 35.6, and the lowest in Derby, viz, 10.1.

***Bradford*.**—Two weeks ended September 8, 1900. Estimated population, 291,535. Total number of deaths, 149, including enteric fever, 2; measles, 1, and 1 from whooping cough.

***London*.**—One thousand five hundred and eighty-two deaths were registered during the week, including measles, 22; scarlet fever, 4; diphtheria, 19; whooping cough, 31; enteric fever, 15, and diarrhea and dysentery, 229. The deaths from all causes correspond to an annual rate of 18.0 a thousand. In Greater London 2,174 deaths were registered, corresponding to an annual rate of 17.0 a thousand of the population. In the "outer ring" the deaths included 8 from diphtheria, 10 from measles, and 27 from whooping cough.

Ireland—The average annual death rate represented by the deaths registered during the week ended September 8, 1900, in the 22 principal town districts of Ireland was 19.2 a thousand of the population, which is estimated at 1,062,188. The lowest rate was recorded in Armagh, Newtownards, and Queenstown, viz, 0.0, and the highest in Ballymena, viz, 28.2 a thousand. In Dublin and suburbs 154 deaths were registered, including enteric fever, 1; whooping cough, 5; and 1 from beriberi.

Scotland.—The deaths registered in 8 principal towns during the week ended September 8, 1900, correspond to an annual rate of 17.5 a thousand of the population, which is estimated at 1,606,935. The lowest mortality was recorded in Paisley, viz, 14.6, and the highest in Greenock, viz, 23.2 a thousand. The aggregate number of deaths registered from all causes was 540, including diphtheria, 5; measles, 7; scarlet fever, 4, and 21 from whooping cough.

JAPAN—Formosa.—Month of July, 1900. Estimated population, 2,797,543. Total number of deaths not reported. One death from diphtheria, 4 deaths from typhus fever, 12 from dysentery, and 29 from plague reported.

MALTA.—Two weeks ended August 15, 1900. Estimated population, 181,698. Total number of deaths, 227, including enteric fever, 2, and 3 from whooping cough.

PORTO RICO.—Month of July, 1900. Estimated population, 953,947. Total number of deaths, 4,690, including diphtheria, 5; enteric fever, 32, and 149 from tuberculosis.

RUSSIA—Siberia—Vladivostock.—Month of May, 1900. Estimated population, 25,000. Number of deaths not reported. No deaths from contagious diseases reported.

Month of June, 1900. Total number of deaths, 6, including diphtheria, 4; enteric fever, 1, and 1 from scarlet fever.

Month of July, 1900. Total number of deaths not reported. One death from typhus fever reported.

SWITZERLAND.—Reports for the two weeks ended September 1, 1900, from fifteen cities and towns having an aggregate estimated population of 691,000, show a total of 442 deaths, including diphtheria, 7; enteric fever, 5; measles, 3; whooping cough, 6, and 61 from phthisis pulmonalis.